
This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

L	REVISIONS						
	REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	
	2		UPDATED TO NEW DRAFTING STANDARDS. CH'D DESCRIPTIONS WAS SPANNER IS SOCKET WRENCH, WAS SERVO SCREW DRIVER IS TORQUE MULTIPLIER & COUNTER HOLDER, WAS SUPPORT IS FIXTURE ASSEMBLY, REMOVED TOOL DASH NUMBERS WAS -1 , -2 , -3 , -7 Ch'D DIMS WAS 10.81 Is 10.90 , WAS 7.77 IS 7.68 , WAS 7.77 IS 7	9/1/2015	DPD	JAG	





ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	TI
				1	socket wrench		RBE1X36-166-807	1	
				1	TORQUE MULTIPLIER & COUNTER HOLDER		RBE1X56-136-858	1	DV
				1	FIXTURE ASSEMBLY		RBE1X46-175-575	1	
		B/O	-5	1	CASE	PLASTIC, BLACK	8 X 17 X 22 PELICAN #APP-1600-E	N/S	MA
		B/O	-7	1	BOTTOM TOOL CUSHION	Y20 BLACK	6-3/16 X 16-7/8 X 21-7/8 (I.R. SPECIALTY)	2	Ι.
		B/O	-9	1	TOP TOOL CUSHION	Y20 BLACK	1-13/16 X 16-7/8 X 21-3/4 (I.R. SPECIALTY)	3	1
		B/O	-11	1	LOCATION PLACARD	PLASTIC		4	1.
		B/O	-13	1	PAD	BLACK COROPLAST	4mm X 3-1/8 X 3-1/4 (I.R. SPECIALTY)	5	2.
			-15	1	DART PLACARD	ALUMINUM	#RB41011	N/S	
		B/O	-17	1	SERVO BACK PAD	BLACK COROPLAST	4mm X 3-1/8 X 3-1/8 (I.R. SPECIALTY)	6	s


DART

MAST NUT TORQUE TOOL KIT

RBEA62315						
MAT'L		DRAWN BY:	CLOUGH	·		
		APPROVED	D Weil	,		
XXX ± .005 FRACT	IONS ± 1/8	TREAT				
.XX ± .01	GLES ±.5°					
1. BREAK ALL SHARP EDG	ES .015 x 45°	SPEC				
	DI V AETED	USED ON MODEL				
PLATING	LIACIEN	EC135				
SCALE 1:8	DATE 3/2	28/2012	SHEET 1 OF	6		
	UNLESS OTHERWISE DIMENSIONS ARE II .XXX ± .005 FRACT .XX ± .01 AN: X ± .1 AN: 1. BREAK ALL SHARP EDGI OR .015R PLATING	MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° X ± .1 ANGLES ± .5° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	RBEA 62315 MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .X ± .01 ANGLES ± .5° .X ± .1 ANGLES ± .5° .DIMENSIONAL LIMITS APPLY AFTER PLATING DATE DATE	RBEA62315 MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° X ± .1 ANGLES ± .5° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING DAY DAY DAY DRAWN BY: CLOUGH APPROVED HEAT TREAT FINISH SPEC USED ON MODEL EC135		







5.75

LOCATION PLACARD

4X R.13

